

HTS Series 9 -Scottsdale 320 Watt Adapter Plate SPECIFICATIONS

Energy Efficient LED Lighting 175 to 320 Watt replacement

FEATURED HIGHLIGHTS

- *Unlimited application possibilities due to retrofitting
- *Saves up to 79% of energy consumption
- *100,000 hour lifespan 5yr. Manufacturers registered warranty
- *Return on Investment between 18 to 40 months.

ENVIRONMENTAL FEATURES

- *Contains no mercury or lead
- *Does not produce UV rays
- *Does not attract insects
- *Directional light means no light pollution

ELECTRICAL SPECIFICATIONS

- *47 to 63 Hertz ac line power voltage from 90 VAC RMS to 277 VAC RMS
- *Available to 480 VAC
- *Nominal operating efficiency is 85% typical at 230 VAC and maximum load
- *Driver provides surge protection at 305 VAC
- *Power distributed to onboard drivers per six LED lights

- **UL and CUL rated #E326977
- **MADE IN THE U.S.A

The HTS 9 Series was specifically designed as a retrofit kit for existing wall packs, parking areas and roadway fixtures. Its superior heat management and compact design make it ideal, 10+ of maintenance free service in existing fixtures.

OUTPUT SPECIFICATIONS



- *Cree High Output LEDs
- *Number of Lights 24
- *Source power 59 Watts
- *CRI 74
- *Lumens 5066 at 100%
- *Efficacy 81.85 LM/W
- *Junction Temperature <60°C
- *IESNA Tested LM79 & LM80
- *Operating Range -30°C to 70°C
- *Nominal Lumens per watt 92
- *EMC: Complaint to 47 CFR, part 2, 15

ASSEMBLY

- *Metal Core Board
- *One piece aluminum heat sink dissipates heat
- *Vibration resistant
- *ASTM and NEMA Tested

APPLICATIONS

- *Roadway Lighting
- *High Bay Fixtures
- *Parking lots/Parking Garages
- *Gas Station Canopies



Dimensions

Weight: 6 lbs (w/power supply & plate)
7.25" X 10"

Issue Date: 5/20/11
Supersede Date: 4/22/11

